

## Contents of *Aquaculture*, Volume 207

VOL. 207 NOS. 1–2

30 APRIL 2002

### Diseases, Parasites and Predators

- Emamectin benzoate: an effective in-feed treatment against the gill parasite *Salmincola edwardsii* on brook trout  
J. Duston and R.R. Cusack (Truro, NS, Canada) . . . . . 1
- Random amplified polymorphic DNA-PCR typing of *Vibrio parahaemolyticus* and *V. alginolyticus* isolated from cultured shrimps  
P.S. Sudheesh (Mahalingapuram, India), K. Jie and H.-S. Xu (Qingdao, PR China). . . . . 11

### Genetics

- Production of cloned red sea bream, *Pagrus major*, by chromosome manipulation  
K. Kato, R. Hayashi, D. Yuasa, S. Yamamoto, S. Miyashita, O. Murata and H. Kumai (Wakayama, Japan). . . . . 19

### Husbandry and Management

- Spawning induction of three tropical sea cucumbers, *Holothuria scabra*, *H. fuscogilva* and *Actinopyga mauritiana*  
S.C. Battaglene, J.E. Seymour (Honiara, Solomon Islands), C. Ramofafia (Honiara, Solomon Islands; Sydney, NSW, Australia) and I. Lane (Honiara, Solomon Islands) . . . . . 29
- Comparative evaluation of production performance in varied cropping patterns of carp polyculture systems  
J.K. Jena, S. Ayyappan and P.K. Aravindakshan (Bhubaneswar, India) . . . . . 49

### Nutrition

- Growth and body composition of Atlantic salmon (*Salmo salar* L.) parr and smolt fed diets varying in protein and lipid contents  
U. Nordgarden (Matedal, Norway), G.-I. Hemre (Bergen, Norway) and T. Hansen (Matedal, Norway) . . . . . 65
- Apparent digestibility coefficients of various feed ingredients for juvenile and grower rockfish (*Sebastes schlegeli*)  
S.-M. Lee (Kangnung, South Korea) . . . . . 79
- Lipid classes of mussel seeds *Mytilus galloprovincialis* of subtidal and rocky shore origin  
L. Freitas, M.J. Fernández-Reiriz and U. Labarta (Vigo, Spain) . . . . . 97
- Evaluation of the reference diet substitution method for determination of apparent nutrient digestibility coefficients of feed ingredients for South African abalone (*Haliotis midae* L.)  
J. Sales and P.J. Britz (Grahamstown, South Africa) . . . . . 113
- The effect of feeding frequency on water quality and growth of the black tiger shrimp (*Penaeus monodon*)  
D.M. Smith, M.A. Burford, S.J. Tabrett, S.J. Irvin (Cleveland, Qld, Australia) and L. Ward (Launceston, Tas, Australia) . . . . . 125

Effect of extruder moisture and dryer processing temperature on vitamin C and E and astaxanthin stability J.S. Anderson (Parsippany, NJ, USA) and R. Sunderland (Sabetha, KS, USA) . . . . .	137
Effect of dietary phospholipid on essential fatty acid requirements and tissue lipid composition of <i>Litopenaeus vannamei</i> juveniles M.L. González-Félix, D.M. Gatlin III (College Station, TX, USA), A.L. Lawrence and M. Perez-Velazquez (Port Aransas, TX, College Station, TX, USA) . . . . .	151

### Physiology and Endocrinology

Relationship between ovarian development and serum levels of gonadal steroid hormones, and induction of oocyte maturation and ovulation in the cultured female Korean spotted sea bass <i>Lateolabrax maculatus</i> (Jeom-nong-eo) W.-K. Lee and S.-W. Yang (Yosu Chonnam, South Korea) . . . . .	169
--	-----

### VOL. 207 NOS. 3-4

24 MAY 2002

### Diseases, Parasites and Predators

Use of random amplification to develop a PCR detection method for the causative agent of fish pasteurellosis, <i>Photobacterium damsela</i> subsp. <i>piscicida</i> (Vibrionaceae) L. Dalla Valle (Padova, Italy), L. Zanella (Legnaro, Italy), P. Belvedere and L. Colombo (Padova, Italy) . . . . .	187
Respiratory burst activity of rainbow trout ( <i>Oncorhynchus mykiss</i> ) phagocytes is modulated by antimicrobial drugs T. Lundén, E.-M. Lilius and G. Bylund (Turku, Finland) . . . . .	203
Disinfection of seawater for hatchery aquaculture systems using electrolytic water treatment M.A. Jorquera, G. Valencia (Antofagasta, Chile), M. Eguchi (Nara, Japan), M. Katayose (Japan) and C. Riquelme (Antofagasta, Chile) . . . . .	213
Effect of dietary vitamin C on the disease susceptibility and inflammatory response of mrigal, <i>Cirrhinus mrigala</i> (Hamilton) to experimental infection of <i>Aeromonas hydrophila</i> K.S. Sobhana, C.V. Mohan and K.M. Shankar (Mangalore, India) . . . . .	225

### Genetics and Breeding

Comparative growth of Egyptian tilapias in response to declining water temperature M.A. Rezk, E.A. Kamel, A.A. Ramadan (Abu Hammad, Egypt) and R.A. Dunham (Auburn, AL, USA) . . . . .	239
Influence of sexual phenotype and genotype, and sex ratio on growth performances in tilapia, <i>Oreochromis niloticus</i> A. Toguyeni (Bobo-Dioulasso, Burkina Faso; Rennes, France), B. Fauconneau, A. Fostier (Rennes, France), J. Abucay (Munoz, Philippines), G. Mair (Munoz, Philippines; Swansea, UK) and J.-F. Baroiller (Rennes, Montpellier, France) . . . . .	249

### Nutrition

Effect of soybean meal replacement by cottonseed meal and iron supplementation on growth, immune response and resistance of Channel Catfish ( <i>Ictalurus punctatus</i> ) to <i>Edwardsiella ictaluri</i> challenge M.M. Barros, C. Lin and P.H. Klesius (Auburn, AL, USA) . . . . .	263
Estimation of optimal dietary methionine requirement for softshell turtle, <i>Pelodiscus sinensis</i> C.-H. Huang and W.-Y. Lin (Chiayi, Taiwan) . . . . .	281
Preparation and assessment of microalgal concentrates as feeds for larval and juvenile Pacific oyster ( <i>Crassostrea gigas</i> ) M. Brown (Hobart, Tas., Australia) and R. Robert (Plozeau, France) . . . . .	289

Influence of high contents of dietary soybean oil on growth, feed utilization, tissue fatty acid composition, heart histology and standard oxygen consumption of Atlantic salmon ( <i>Salmo salar</i> ) raised at two temperatures B. Grisdale-Helland, B. Ruyter (Sunndalsøra, Norway), G. Rosenlund, A. Obach (Stavanger, Norway), S.J. Helland (Sunndalsøra, Norway), M.G. Sandberg (Stavanger, Norway), H. Standal (Fredrikstad, Norway) and C. Røsjo (Sunndalsøra, Norway) . . . . .	311
Thiamin requirement of juvenile abalone, <i>Haliotis discus hannai</i> Ino W. Zhu, K. Mai and G. Wu (Qingdao, People's Republic of China) . . . . .	331
Fermentative preparation of single cell detritus from seaweed, <i>Undaria pinnatifida</i> , suitable as a replacement hatchery diet for unicellular algae M. Uchida and M. Murata (Yokohama, Japan) . . . . .	345
<b>Physiology and Endocrinology</b>	
Recombinant bovine growth hormone treatment of tilapia: growth response, metabolic clearance, receptor binding and immunoglobulin production T.A. Leedom, K. Uchida (Kaneohe, HI, USA), T. Yada (Kaneohe, HI, USA; Nikko, Japan), N.H. Richman III (Kaneohe, HI, USA), J.C. Byatt (St. Louis, MO, USA), R.J. Collier (St. Louis, MO, Tucson, AZ, USA), T. Hirano and E.G. Grau (Kaneohe, HI, USA) . . . . .	359
<b>Contents of Aquaculture, Volume 207</b> . . . . .	381